

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	3	709/220.cdis. and (portable) with (security or secure) with (key) with (terminal or system or device) with (access)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L3	45399	(client or user) same (access) with (point)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L4	511	(client or user) same (access) with (point) same (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L5	42	(client or user) same (access) with (point) same (USB) same (secure or encrypt\$3) and (portable or mobile or handheld or palm)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L6	7	(client or user) same (access) with (point) same (USB or thumb) near3 (drive) same (secure or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L7	77	(client or user) same (access) adj (point) and (USB or thumb) near3 (drive) same (secure or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L8	2	(client or user) same (access) adj (point) and (USB or thumb) near3 (drive) same (secure or encrypt\$3) and @ay<"2004,03,24"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L9	10955	(remote) same (access) same (point) same (device or module)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37

L10	5209	(remote) same (access) near4 (point) same (device or module)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L11	10	(remote) same (access) near4 (point) same (device or module) same (USB) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L12	342	(remote) same (access) near4 (point) same (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L13	6	(remote) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L14	1	(remote) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4) and (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L15	840	(client or user) same (access) near4 (point) and (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L16	91	(client or user) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L17	43	(client or user) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4) and (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L18	4	709/250.cds. and (client or user) same (access) near4 (point) and (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L19	12	709/250.cds. and (access) near4 (point) same (portable) same (device or module or USB) and (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37

L20	12	709/250.ccls. and (access) near4 (point) same (portable or pluggable) same (device or module or USB) and (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L21	50	709/250.ccls. and (access) same (portable) same (device or module or USB) and (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L22	7	709/250.ccls. and (access) same (portable) same (device or module or USB) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L23	14	713/150.ccls. and (portable) same (device or module or USB) same (access\$4) same (network or WAN or LAN) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L24	90744	(portable) with (security) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L25	844045	(portable) with (security) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L26	996	(portable) with (security) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L27	1481	(portable) with (security or secure) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L28	283	(portable) near4 (security or secure) near4 (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L29	1208	(portable) with (security or secure) with (key) same (terminal or system or device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37

L30	220	(portable) with (security or secure) with (key) with (terminal or system or device) with (access)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L31	8	(portable) with (security or secure) with (key) with (terminal or system or device) with (access) and (thumb)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L32	0	("2007/0170239").URFN.	USPAT	OR	ON	2009/10/08 22:37
L33	220	(portable) with (security or secure) with (key) with (terminal or system or device) with (access)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L34	101	(portable) with (security or secure) with (key) with (terminal or system or device) with (access) and (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L35	1	("7412514").PN.	USPAT; USOCR	OR	OFF	2009/10/08 22:37
L36	2777	Hendrick.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
L37	10	Hendrick.in. and (portable) with (medium)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 22:37
S3	37977	(client or user) same (access) with (point)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 16:39
S4	407	(client or user) same (access) with (point) same (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 16:39
S5	33	(client or user) same (access) with (point) same (USB) same (secure or encrypt\$3) and (portable or mobile or handheld or palm)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/10 16:43

S6	5	(client or user) same (access) with (point) same (USB or thumb) near3 (drive) same (secure or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 10:52
S7	61	(client or user) same (access) adj (point) and (USB or thumb) near3 (drive) same (secure or encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 10:55
S8	2	(client or user) same (access) adj (point) and (USB or thumb) near3 (drive) same (secure or encrypt\$3) and @ay< "2004,03,24"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 10:56
S14	9318	(remote) same (access) same (point) same (device or module)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 20:59
S15	4079	(remote) same (access) near4 (point) same (device or module)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 20:59
S16	8	(remote) same (access) near4 (point) same (device or module) same (USB) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:01
S17	283	(remote) same (access) near4 (point) same (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:03
S18	4	(remote) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:03
S19	1	(remote) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4) and (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:06
S20	688	(client or user) same (access) near4 (point) and (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:08

S21	70	(client or user) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:08
S22	36	(client or user) same (access) near4 (point) same (portable) with (device or module) same (secure or encrypt\$4) and (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/13 21:09
S23	3	709/250.ccls. and (client or user) same (access) near4 (point) and (portable) with (device or module) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 16:49
S24	9	709/250.ccls. and (access) near4 (point) same (portable) same (device or module or USB) and (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 16:53
S25	9	709/250.ccls. and (access) near4 (point) same (portable or pluggable) same (device or module or USB) and (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 16:55
S26	43	709/250.ccls. and (access) same (portable) same (device or module or USB) and (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 16:55
S27	6	709/250.ccls. and (access) same (portable) same (device or module or USB) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 16:55
S28	8	713/150.ccls. and (portable) same (device or module or USB) same (access\$4) same (network or WAN or LAN) same (secure or encrypt\$4)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2008/11/16 17:16
S29	90670	(portable) with (security) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:20
S30	843417	(portable) with (security) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:20

S31	996	(portable) with (security) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:20
S32	1481	(portable) with (security or secure) with (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:21
S33	283	(portable) near4 (security or secure) near4 (key)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:21
S35	1208	(portable) with (security or secure) with (key) same (terminal or system or device)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:22
S36	220	(portable) with (security or secure) with (key) with (terminal or system or device) with (access)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:22
S37	8	(portable) with (security or secure) with (key) with (terminal or system or device) with (access) and (thumb)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:35
S38	0	("2007/0170239").URFN.	USPAT	OR	ON	2009/10/06 12:41
S39	220	(portable) with (security or secure) with (key) with (terminal or system or device) with (access)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:42
S40	101	(portable) with (security or secure) with (key) with (terminal or system or device) with (access) and (USB)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/06 12:43
S41	1	("7412514").PN.	USPAT; USOCR	OR	OFF	2009/10/06 13:56
S42	2777	Hendrick.in.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 19:03

S43	10	Hendrick.in. and (portable) with (medium)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2009/10/08 19:04
-----	----	--	---	----	----	---------------------

10/ 8/ 2009 10:50:57 PM**C:\Documents and Settings\abilgram\My Documents\EAST\Workspaces\10807731.wsp**